Ultramicroscopy 27 (1989) 439–441
North-Holland, Amsterdam

AUTHOR INDEX TO VOLUME 27

Barnes, G.T., see Gorwyn 27 (1989) 113
Bear, D.G., see Garcia 27 (1989) 367
Bernatowicz, T., see Fraundorf 27 (1989) 401
Beveridge, T.J., see Blackford 27 (1989) 427
Bird, D.M., see Lin 27 (1989) 233
Blackford, B.L., M.O. Watanabe, D.C. Dahn, M.H. Jericho, G. Southam and T.J. Beveridge, The imaging of a complete biological structure with the scanning tunneling microscope 27 (1989) 427
Booy, F.P., see Brink 27 (1989) 91
Brink, J., J.F.L. van Breemen, W. Keegstra and E.F.J. van Bruggen, Computer image analysis of two-dimensional crystals of beef heart NADH: ubiquinone oxidoreductase fragments. I. Comparison of crystal structures in various negative stains 27 (1989) 79
Brink, J., F.P. Booy and E.F.J. van Bruggen, Computer image analysis of two-dimensional crystals of beef heart NADH: ubiquinone oxidoreductase fragments. II. Comparison of frozen hydrated and negatively stained specimens 27 (1989) 91
Brink, J., J.F.L. van Breemen, W. Keegstra and E.F.J. van Bruggen, Computer image analysis of two-dimensional crystals of beef heart NADH: ubiquinone oxidoreductase fragments. I. Comparison of crystal structures in various negative stains (E) 27 (1989) 334
Bustamante, C., see Garcia 27 (1989) 367

Coene, W., see De Jong 27 (1989) 53
Cowley, J.M., see Wang 27 (1989) 101
Cowley, J.M., see Tanji 27 (1989) 223
Cowley, J.M., Observations of surface-channelling phenomena with a STEM instrument 27 (1989) 319
Crozier, P.A. and R.F. Egerton, Mass-thickness determination by Bethe-sum-rule normalization of the electron energy-loss spectrum 27 (1989) 9

Dahn, D.C., see Blackford 27 (1989) 427
Davilla, S.D., see Lamvik 27 (1989) 241
De Jong, A.F., W. Coene and D. Van Dyck, Image processing of HRTEM images with non-periodic features 27 (1989) 53
De Ruijter, W.J., see Koster 27 (1989) 251
Dorset, D.L., see Hu 27 (1989) 161

Egerton, R.F., see Crozier 27 (1989) 9

Fraundorf, G., see Fraundorf 27 (1989) 401
Fraundorf, P., G. Fraundorf, T. Bernatowicz, R. Lewis and Tang Ming, Stardust in the TEM 27 (1989) 401

Garcia, R., D. Keller, J. Panitz, D.G. Bear and C. Bustamante, Imaging of metal-coated biological samples by scanning tunneling microscopy 27 (1989) 367
Gelfand, M.S. and A.B. Goncharov, Spatial rotational alignment of identical particles in the case of (almost) coaxial projections 27 (1989) 301
Genty, B., see Valle 27 (1989) 67
Glaeser, R.M., L. Tong and S.-H. Kim, Three-dimensional reconstructions from incomplete data: interpretability of density maps at "atomic" resolution 27 (1989) 307
Glaisher, R.W., A.E.C. Spargo and D.J. Smith, A theoretical analysis of HREM imaging for ⟨110⟩ tetrahedral semiconductors 27 (1989) 19
Glaisher, R.W., A.E.C. Spargo and D.J. Smith, A systematic analysis of HREM imaging of elemental semiconductors 27 (1989) 35
Glaisher, R.W., A.E.C. Spargo and D.J. Smith, A systematic analysis of HREM imaging of wurtzite semiconductors 27 (1989) 117
Glaisher, R.W., A.E.C. Spargo and D.J. Smith, A systematic analysis of HREM imaging of sphalerite semiconductors 27 (1989) 131
Goncharov, A.B., see Gelfand 27 (1989) 301
Goodman, P., see Qin 27 (1989) 115
Gorwyn, D. and G.T. Barnes, Effects of certain electron-mircosope strains on phospholipid monolayers 27 (1989) 113
Graham, R.J., A high-yield method for the preparation of cleaved wedge specimens through semiconductor interfaces 27 (1989) 329
Griffith, O.H., see Rempfer 27 (1989) 273

Heyraud, J.C., see Métois 27 (1989) 349
Hillebrand, R. and K. Scheerschmidt, HREM contrast simulations for compound semiconductors – a discussion of appropriate imaging parameters 27 (1989) 375
Hsu, T. and G. Lehmpfuhl, Streaking of reflection high energy electron diffraction spots as a result of refraction on a curved specimen surface 27 (1989) 359

Hu, H., D.L. Dorset and B. Moss, Space group symmetry and the location of forbidden reflections due to incoherent multiple scattering from epitaxially oriented paraffins 27 (1989) 161

Ishizuka, K., M. Tanaka and M. Terauchi, On the dynamical extinction due to a horizontal diamond glide plane 27 (1989) 335
Ito, H., see Tanji 27 (1989) 223

Jericho, M.H., see Blackford 27 (1989) 427

Keegstra, W., see Brink 27 (1989) 79
Keegstra, W., see Brink 27 (1989) 334
Keller, D., see Garcia 27 (1989) 367
Kihlborg, L., see Olsson 27 (1989) 387
Kim, S.-H., see Glaeser 27 (1989) 307
Klatt, L.L., see Lamvik 27 (1989) 241
Koster, A.J., W.J. de Ruijter, A. van den Bos and K.D. van der Mast, Autotuning of a TEM using minimum electron dose 27 (1989) 251
Kunath, W. and H. Sack-Kongehl, Circular harmonic averaging of noisy single-molecule images 27 (1989) 171

Lamvik, M.K., S.D. Davilla and L.L. Klatt, Substrate properties affect the mass loss rate in collodion at liquid helium temperature 27 (1989) 241
Lehmpfuhl, G., see Hsu 27 (1989) 359
Lewis, R., see Fraundorf 27 (1989) 401
Lin, Y.P., D.M. Bird and R. Vincent, Errors and correction term for HOLZ line simulations 27 (1989) 233
Liu, J., see Wang 27 (1989) 101
Lu, Ping, see Wang 27 (1989) 101

Marks, L.D., see Shibahara 27 (1989) 185
Marraud, A., see Valle 27 (1989) 67
Masaoka, H., see Tanji 27 (1989) 223
Métois, J.J., S. Nitsche and J.C. Heyraud, An ultra-high-vacuum transmission and scanning electron microscope for crystal growth experiments 27 (1989) 349
Milne, R.H., Surface steps imaged by secondary electrons 27 (1989) 433
Moss, B., see Hu 27 (1989) 161

Nitsche, S., see Métois 27 (1989) 349

Olsson, P.-O. and L. Kihlborg, Three-dimensional effects in multislice image calculations for oblique cells 27 (1989) 387

Panessa-Warren, B.J., G.T. Tortora and J.B. Warren, Absorption edge imaging of bacterial endospores with synchrotron radiation 27 (1989) 151
Panitz, J., see Garcia 27 (1989) 367
Pardo, B., see Valle 27 (1989) 67
Peng, L.-M., REM observation of electron-beam-induced reactions on GaAs(110) surface 27 (1989) 423

Qin, L.C. and P. Goodman, An alternative study of the reciprocity theorem in electron diffraction 27 (1989) 115

Rempfer, G.F. and O.H. Griffith, The resolution of photoelectron microscopes with UV, X-ray, and synchrotron excitation sources 27 (1989) 273
Rodenburg, J.M., The phase problem, microdiffraction and wavelength-limited resolution – a discussion 27 (1989) 413

Sack-Kongehl, H., see Kunath, 27 (1989) 171
Scheerschmidt, K., see Hillebrand 27 (1989) 375
Shibahara, H., J.P. Zhang and L.D. Marks, Fingerprint of oxygen vacancies in Gd superconductors 27 (1989) 185
Smith, D.J., see Glaisher 27 (1989) 19
Smith, D.J., see Glaisher 27 (1989) 35
Smith, D.J., see Glaisher 27 (1989) 117
Smith, D.J., see Glaisher 27 (1989) 131
Southam, G., see Blackford 27 (1989) 427
Spargo, A.E.C., see Glaisher 27 (1989) 19
Spargo, A.E.C., see Glaisher 27 (1989) 35
Spargo, A.E.C., see Glaisher 27 (1989) 117
Spargo, A.E.C., see Glaisher 27 (1989) 131

Takayanagi, K., see Tanishiro 27 (1989) 1
Tanaka, M., see Ishizuka 27 (1989) 335
Tang Ming, see Fraundorf 27 (1989) 401
Tanishiro, Y. and K. Takayanagi, Validity of the kinematical approximation in transmission electron diffraction for the analysis of surface structures 27 (1989) 1
Tanji, T., H. Masaoka, H. Ito, K. Yada and J.M. Cowley, Charging effect on the HRTEM imaging of small MgO crystals 27 (1989) 223
Terauchi, M., see Ishizuka 27 (1989) 335
Tong, L., see Glaeser 27 (1989) 307
Tortora, G.T., see Panessa-Warren 27 (1989) 151
Trebbia, P., CLEDX: a stand-alone program for quantitative X-ray analysis using the Cliff–Lorimer procedure 27 (1989) 343

Valle, R., B. Genty, A. Marraud and B. Pardo, Scattering and back-scattering of 1 MeV electrons 27 (1989) 67

Van Breemen, J.F.L., see Brink 27 (1989) 79
Van Breemen, J.F.L., see Brink 27 (1989) 334
Van Bruggen, E.F.J., see Brink 27 (1989) 79
Van Bruggen, E.F.J., see Brink 27 (1989) 91
Van Bruggen, E.F.J., see Brink 27 (1989) 334
Van den Bos, A., see Koster 27 (1989) 251
Van der Mast, K.D., see Koster 27 (1989) 251
Van Dyck, D., see De Jong 27 (1989) 53
Vincent, R., see Lin 27 (1989) 233

Wang, Z.L., J. Liu, Ping Lu and J.M. Cowley, Electron resonance reflections from perfect crystal surfaces and surfaces with steps 27 (1989) 101
Warren, J.B., see Panessa-Warren 27 (1989) 151
Watanabe, M.O., see Blackford 27 (1989) 427

Yada, K., see Tanji 27 (1989) 223

Zhang, J.P., see Shibahara 27 (1989) 185

Ultramicroscopy 27 (1989) 442–445
North-Holland, Amsterdam

SUBJECT INDEX TO VOLUME 27

Analytical microscopy

Mass-thickness determination by Bethe-sum-rule normalization of the electron energy-loss spectrum, *Crozier and Egerton* 27 (1989) 9

A theoretical analysis of HREM imaging for ⟨110⟩ tetrahedral semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 19

A systematic analysis of HREM imaging of elemental semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 35

Scattering and back-scattering of 1 MeV electrons, *Valle, Genty, Marraud and Pardo* 27 (1989) 67

A systematic analysis of HREM imaging of wurtzite semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 117

A systematic analysis of HREM imaging of sphalerite semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 131

Absorption edge imaging of bacterial endospores with synchrotron radiation, *Panessa-Warren, Tortora and Warren* 27 (1989) 151

Fingerprint of oxygen vacancies in Gd superconductors, *Shibahara, Zhang and Marks* 27 (1989) 185

The resolution of photoelectron microscope with UV, X-ray, and synchrotron excitation sources, *Rempfer and Griffith* 27 (1989) 273

CLEDX: a stand-alone program for quantitative X-ray analysis using the Cliff–Morimer procedure, *Trebbia* 27 (1989) 343

Stardust in the TEM, *Fraundorf, Fraundorf, Bernatowicz, Lewis and Tang* 27 (1989) 401

Conventional electron microscopy

Validity of the kinematical approximation in transmission electron diffraction for the analysis of surface structures, *Tanishiro and Takayanagi* 27 (1989) 1

A theoretical analysis of HREM imaging for ⟨110⟩ tetrahedral semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 19

A systematic analysis of HREM imaging of elemental semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 35

Computer image analysis of two-dimensional crystals of beef heart NADH: ubiquinone oxidoreductase fragments. I. Comparison of crystal structures in various negative stains, *Brink, Van Breemen, Keegstra and Van Bruggen* 27 (1989) 79

Computer image analysis of two dimensional crystals of beef heart NADH: ubiquinone oxidoreductase fragments. II. Comparison of frozen hydrated and negatively stained specimens, *Brink, Booy and Van Bruggen* 27 (1989) 91

Effects of certain electron-microscope stains on phospholipid monolayers, *Gorwyn and Barnes* 27 (1989) 113

Charging effect on the HRTEM imaging of small MgO crystals, *Tanji, Masaoka, Ito, Yada and Cowley* 27 (1989) 223

Computer image analysis of two-dimensional crystals of beef heart NADH: uniquinone oxidoreductase fragments. I. Comparison of crystal structures in various negative stains (E), *Brink, Van Breemen, Keegstra and Van Bruggen* 27 (1989) 334

Cryomicroscopy

Substrate properties affect the mass loss rate in collodion at liquid helium temperature, *Lamvik, Davilla and Klatt* 27 (1989) 241

Diffraction and optical diffraction

Validity of the kinematical approximation in transmission electron diffraction for the analysis of surface structures, *Tanishiro and Takayanagi* 27 (1989) 1

Electron resonance reflections from perfect crystal surfaces and surfaces with steps, *Wang, Liu, Lu and Cowley* 27 (1989) 101

An alternative study of the reciprocity theorem in electron diffraction, *Qin and Goodman* 27 (1989) 115

Space group symmetry and the location of forbidden reflections due to incoherent multiple scattering from epitaxially oriented paraffins, *Hu, Dorset and Moss* 27 (1989) 161

Fingerprint of oxygen vacancies in Gd superconductors, *Shibahara, Zhang and Marks* 27 (1989) 185

Errors and correction term for HOLZ line simulations, *Lin, Bird and Vincent* 27 (1989) 233

On the dynamical extinction due to a horizontal diamond glide plane, *Ishizuka, Tanaka and Terauchi* 27 (1989) 335

Streaking of reflection high energy electron diffraction spots as a result of refraction on a curved specimen surface, *Hsu and Lehmpfuhl* 27 (1989) 359

The phase problem, microdiffraction and wavelength-limited resolution – a discussion, *Rodenburg* 27 (1989) 413

Electron energy loss spectroscopy

Mass-thickness determination by Bethe-sum-rule normalization of the electron energy-loss spectrum, *Crozier and Egerton* 27 (1989) 9

Adsorption edge imaging of bacterial endospores with synchrotron radiation, *Panessa-Warren, Tortora and Warren* 27 (1989) 151

Electron probe microanalysis

CLEDX: a stand-alone program for quantitative X-ray analysis using the Cliff–Morimer procedure, *Trebbia* 27 (1989) 343

High resolution

A theoretical analysis of HREM imaging for ⟨110⟩ tetrahedral semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 19

A systematic analysis of HREM imaging of elemental semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 35

A systematic analysis of HREM imaging of wurtzite semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 117

A systematic analysis of HREM imaging of sphalerite semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 131

Fingerprint of oxygen vacancies in Gd superconductors, *Shibahara, Zhang and Marks* 27 (1989) 185

Charging effect on the HRTEM imaging of small MgO crystals, *Tanji, Masaoka, Ito, Yata and Cowley* 27 (1989) 223

HREM contrast simulations for compound semiconductors – a discussion of appropriate imaging parameters, *Hillebrand and Scheerschmidt* 27 (1989) 375

High voltage

Scattering and back-scattering of 1 MeV electrons, *Valle, Genty, Marraud and Pardo* 27 (1989) 67

Image processing, 3D reconstruction

Image processing of HRTEM images with non-periodic features, *De Jong, Coene and Van Dyck* 27 (1989) 53

Computer image analysis of two-dimensional crystals of beef heart NADH: ubiquinone oxidoreductase fragments. I. Comparison of crystal structures in various negative stains, *Brink, Van Breemen, Keegstra and Van Bruggen* 27 (1989) 79

Computer image analysis of two-dimensional crystals of beef heart NADH: ubiquinone oxidoreductase fragments. II. Comparison of frozen hydrated and negatively stained specimens, *Brink, Booy and Van Bruggen* 27 (1989) 91

Space group symmetry and the location of forbidden reflections due to incoherent multiple scattering from epitaxially oriented paraffins, *Hu, Dorset and Moss* 27 (1989) 161

Circular harmonic averaging of noisy single-molecule images, *Kunath and Sack-Kongehl* 27 (1989) 171

Spatical rotation alignment of identical particles in the case of (almost) coaxial projections, *Gelfand and Goncharov* 27 (1989) 301

Three-dimensional reconstructions from incomplete data: interpretability of density maps at "atomic" resolution, *Glaeser, Tong and Kim* 27 (1989) 307

HREM contrast simulations for compound semiconductors – a discussion of appropriate imaging parameters, *Hillebrand and Scheerschmidt* 27 (1989) 375

Three-dimensional effects in multislice image calculations for oblique cells, *Olsson and Kihlborg* 27 (1989) 387

The phase problem, microdiffraction and wavelength-limited resolution – a discussion, *Rodenburg* 27 (1989) 413

Computer image analysis of two-dimensional crystals of beef heart NADH: ubiquinone oxidoreductase fragments. I. Comparison of crystal structures in various negative stains (E), *Brink, Van Breeman, Keegstra and Van Bruggen* 27 (1989) 334

Imaging

A theoretical analysis of HREM imaging for ⟨110⟩ tetrahedral semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 19

A systematic analysis of HREM imaging of elemental semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 35

A systematic analysis of HREM imaging of wurtzite semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 117

A systematic analysis of HREM imaging of sphalerite semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 131

Absorption edge imaging of bacterial endospores with synchrotron radiation, *Panessa-Warren, Tortora and Warren* 27 (1989) 151

Three-dimensional effects in multislice image calculations for oblique cells, *Olsson and Kihlborg* 27 (1989) 387

The phase problem, microdiffraction and wavelength-limited resolution – a discussion, *Rodenburg* 27 (1989) 413

The imaging of a complete biological structure with the scanning tunneling microscope, *Blackford, Watanabe, Dahn, Jericho, Southam and Beveridge* 27 (1989) 427

Instrumentation

The resolution of photoelectron microscope with UV, X-ray, and synchrotron excitation sources, *Rempfer and Griffith* 27 (1989) 273

An ultra-high-vacuum transmission and scanning electron microscope for crystal growth experiments, *Métois, Nitsche and Heyraud* 27 (1989) 349

Methods and techniques

Circular harmonic averaging of noisy single-molecule images, *Kunath and Sack-Kongehl* 27 (1989) 171

Errors and correction term for HOLZ line simulations, *Lin, Bird and Vincent* 27 (1989) 233

Autotuning of a TEM using minimum electron dose, *Koster, De Ruijter, Van den Bos and Van der Mast* 27 (1989) 251

Three-dimensional reconstructions from incomplete data: interpretability of density maps at "atomic" resolution, *Glaeser, Tong and Kim* 27 (1989) 307

A high-yield method for the preparation of cleaved wedge specimens through semiconductor interfaces, *Graham* 27 (1989) 329

HREM contrast simulations for compound semiconductors – a discussion of appropriate imaging parameters, *Hillebrand and Scheerschmidt* 27 (1989) 375

New developments

Image processing of HRTEM images with non-periodic features, *De Jong, Coene and Van Dyck* 27 (1989) 53

An alternative study of the reciprocity theorem in electron diffraction, *Qin and Goodman* 27 (1989) 115

Autotuning of a TEM using minimum electron dose, *Koster, De Ruijter, Van den Bos and Van der Mast* 27 (1989) 251

An ultra-high-vacuum transmission and scanning electron microscope for crystal growth experiments, *Métois, Nitsche and Heyraud* 27 (1989) 349

The imaging of a complete biological structure with the scanning tunneling microscope, *Blackford, Watanabe, Dahn, Jericho, Southam and Beveridge* 27 (1989) 427

Radiation damage and contamination

Substrate properties affect the mass loss rate in collodion at liquid helium temperature, *Lamvik, Davilla and Klatt* 27 (1989) 241

Reflection electron microscopy, high-energy electron diffraction

Scattering and back-scattering of 1 MeV electrons, *Valle, Gently, Marraud and Pardo* 27 (1989) 67

Electron resonance reflections from perfect crystal surfaces and surfaces with steps, *Wang, Liu, Lu and Cowley* 27 (1989) 101

Streaking of reflection high energy electron diffraction spots as a result of refraction on a curved specimen surface, *Hsu and Lehmpfuhl* 27 (1989) 359

REM observation of electron-beam-induced reactions on GaAs(110) surface, *Peng* 27 (1989) 423

Surface steps imaged by secondary electrons, *Milne* 27 (1989) 433

Scanning electron microscopy

An ultra-high-vacuum transmission and scanning electron microscope for crystal growth experiments, *Métois, Nitsche and Heyraud* 27 (1989) 349

Surface steps imaged by secondary electrons, *Milne* 27 (1989) 433

Scanning transmission electron microscopy

Observations of surface-channeling phenomena with a STEM instrument, *Cowley* 27 (1989) 319

Imaging of metal-coated biological samples by scanning tunneling microscopy, *Garcia, Keller, Panitz, Bear and Bustamante* 27 (1989) 367

Scanning tunneling microscopy

The imaging of a complete biological structure with the scanning tunneling microscope, *Blackford, Watanabe, Dahn, Jericho, Southam and Beveridge* 27 (1989) 427

Specimen preparation

Computer image analysis of two-dimensional crystals of beef heart NADH: ubiquinone oxidoreductase fragments. I. Comparison of crystal structures in various negative stains, *Brink, Van Breemen, Keegstra and Van Bruggen* 27 (1989) 79

Computer image analysis of two-dimensional crystals of beef heart NADH: ubiquinone oxidoreductase fragments. II. Comparison of frozen hydrated and negatively stained specimens, *Brink, Booy and Van Bruggen* 27 (1989) 91

Effects of certain electron-microscope stains on phospholipid monolayers, *Gorwyn and Barnes* 27 (1989) 113

A high-yield method for the preparation of cleaved wedge specimens through semiconductor interfaces, *Graham* 27 (1989) 329

Computer image analysis of two-dimensional crystals of beef heart NADH: ubiquinone oxidoreductase fragments. I. Comparison of crystal structures in various negative stains (E), *Brink, Van Breemen, Keegstra and Van Bruggen* 27 (1989) 334

Surfaces, clusters, interfaces and particles

Validity of the kinematical approximation in transmission electron diffraction for the analysis of surface structures, *Tanishiro and Takayanagi* 27 (1989) 1

Electron resonance reflections from perfect crystal surfaces and surfaces with steps, *Wang, Liu, Lu and Cowley* 27 (1989) 101

A systematic analysis of HREM imaging of wurtzite semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 117

A systematic analysis of HREM imaging of sphalerite semiconductors, *Glaisher, Spargo and Smith* 27 (1989) 131

Charging effect on the HRTEM imaging of small MgO crystals, *Tanji, Masaoka, Ito, Yada and Cowley* 27 (1989) 223

Observations of surface-channelling phenomena with a STEM instrument, *Cowley* 27 (1989) 319

A high-yield method for the preparation of cleaved wedge specimens through semiconductor interface, *Graham* 27 (1989) 329

Streaking of reflection high energy electron diffraction spots as a result of refraction on a curved specimen surface, *Hsu and Lehmpfuhl* 27 (1989) 359

REM observation of electron-beam-induced reactions on GaAs(110) surface, *Peng* 27 (1989) 423

Surface steps imaged by secondary electrons, *Milne* 27 (1989) 433

Thick specimens

Stardust in the TEM, *Fraundorf, Fraundorf, Bernatowicz, Lewis and Tang* 27 (1989) 401

Abstracts/Announcements/Reviews/ Miscellaneous

Abstracts of papers presented at the Annual Conference on The Netherlands Society of Electron Microscopy, Kerkrade, 30 November – 2 December 1988 27 (1989) 193